# Anesthesiology

**Claims Data Snapshot** 

2025





### Introduction

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

This publication begins with insight into frequency and financial severity profiles by specialty. Then follows an analysis of aggregated data from clinically coded cases opened between 2014-2023 in which Anesthesiology is identified as the primary responsible service. Of note, cases involving CRNAs are included in this set. See pages 6,13 & 14 for more detail.

#### Keep in mind...

A clinically coded malpractice case can have more than one responsible service, but the "primary responsible service" is the specialty that is deemed to be most responsible for the resulting patient outcome.

Our data system, and analysis, rolls all claims/suits related to an individual patient event into one case for coding purposes. Therefore, a case may be made up of one or more individual claims/suits and multiple defendant types such as hospital, physician, and other healthcare professionals.

Cases that involve attorney representations at depositions, State Board actions, and general liability cases are not included.

This analysis is designed to provide insured doctors, healthcare professionals, hospitals, health systems, and associated risk management staff with detailed case data to assist them in purposefully focusing their risk management and patient safety efforts.

### **Specialty benchmarking**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Specialties have different frequency and financial severity profiles which combine to produce differing risk levels.

		Frequency Tier			
		Low	Medium	High	
	Low	Allergy, Dermatology, Occupational Medicine, Psychiatry, Rheumatology	Ophthalmology, Plastic Surgery, Pulmonology	Hospitalists	
Severity Tier	Medium	Family Medicine, Nephrology, Physiatry, Urgent Care	Cardiology, ENT, Gastroenterology, Internal Medicine	Cardiovascular Surgery, General Surgery, Orthopedic Surgery, Radiology, Urology	
	High	Hematology/Oncology, Pathology, Pediatrics	Anesthesiology, Neurology	Emergency Medicine, Neurosurgery, OB/GYN	

### **Specialty trends – Anesthesiology**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Anesthesiology has a higher financial severity per case and an average claim frequency compared to all specialties.



### Average Severity - Anesthesiology Relative to All Specialties

Source: MedPro Group Physician & Surgeon Claim Experience & Analysis

### **Key Points - Clinically Coded Data**

- Anesthesia-related allegations, as expected, account for the majority of Anesthesiology case volume and total dollars paid\*. Cases are distributed similarly between performance-related and patient management-related allegations, followed by tooth/teeth damage and positioning-related cases.
- Performance-related cases encompass procedural technique issues, including injections, intubation and extubation. Extubation cases (excluding those involving tooth damage) often reflect immediate post-extubation complications, bringing into question whether extubation was appropriate/timely.
- Management-related cases encompass recognition of and reaction to vital signs, awareness while under anesthesia, monitoring while receiving blood products
  and during the post-operative recovery process. The failure to timely recognize and/or monitor/manage procedural complications prevents the opportunity for early
  mitigation of the risk of serious adverse outcome.
- Positioning-related cases reflect when positioning of the patient is the key issue, and includes situations where the patient was positioned correctly, but for an extended period of time resulting in injury.
- CRNA-involved cases are included in this data set, and account for 43% of case volume. Within the coding taxonomy, CRNA is noted as a "role" under the
  responsible service of Anesthesiology. The distinctions between non-CRNA cases and CRNA-involved cases are minimal, although CRNA case volume is more
  heavily concentrated around tooth/teeth damage scenarios. Location and clinical severity are similar. Distribution of contributing factors is also markedly similar to
  the non-CRNA cases.
- Contributing factors, which are multi-layered issues or failures in the process of care that appear to have contributed to the patient's outcome, and/or to the
  initiation of the case, provide valuable insight into risk mitigation opportunities. Clinical judgment factors related to patient monitoring and response to changing
  conditions, technical skill factors, including the management of known complications, and suboptimal communication among members of patients' surgery and
  Anesthesiology teams, are key drivers of clinical Anesthesiology case severity.

### **Major Allegations & Financial Severity**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Each case reflects one major allegation category. Categories are designed to enable the grouping and analysis of similar cases and to drive focused risk mitigation efforts. The coding taxonomy includes detailed allegation sub-categories; insight into these is noted later in this report. Within the coding taxonomy, CRNAs are noted as a "role" under the responsible service of Anesthesiology. 534 of these 1244 cases (43%) reflect an involved CRNA. These are examined in more detail on pages 13 & 14.



### **Clinical Severity\* & Most Common Locations**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Clinical severity* categories	Sub-categories	% of case volume	Definitions
LOW	Emotional Injury Only	13%	Mental distress or suffering that is generally temporary; includes HIPAA violations, discrimination, involuntary stay
	Temporary Insignificant Injury		Lacerations, contusions, minor scars, rash; no delay in recovery
	Temporary Minor Injury		Infection, fracture set improperly or a fall in the facility, where recovery is complete but delayed
MEDIUM	Temporary Major Injury	40%	Burns, drug side effect; recovery delayed
	Permanent Minor Injury		Loss of fingers or loss or damage to organs; includes non-disabling injuries
	Significant Permanent Injury		Deafness, loss of limb, loss of eye or loss of one kidney or lung
	Major Permanent Injury	470/	Paraplegia, blindness, loss of two limbs or brain damage
пібп	Grave Injury	4/%	Quadriplegia, severe brain damage, life-long care or fatal prognosis
	Death		Death
		24%	% of cases resulting in patient death



MedPro Group + MLMIC cases opened 2014-2023, Anesthesiology as responsible service (N=1244); \*Severity codes reflect National Association of Insurance Commissioners (NAIC) injury severity scale

## **Contributing Factors**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

# Despite best intentions, processes designed for safe patient outcomes can, and do, fail.

**Contributing factors** are multi-layered issues or failures in the process of care that appear to have contributed to the patient's outcome, and/or to the initiation of the case, or had a significant impact on case resolution. Multiple factors are identified in each case because generally, there is not just one issue that leads to these cases, but rather a combination of issues.

Administrative	Behavior-related	Clinical environment	Clinical judgment	Clinical systems	Communication	Documentation	Supervision	Technical skill

### **Contributing Factor Category Definitions**

Administrative	Factors related to reporting of adverse events, adequacy of staffing, staff education/training, ethics, failure to follow and/or need for policy/protocols
Behavior-related	Factors related to patient nonadherence to treatment or behavior that offsets care; also, provider behavior including breach of confidentiality or sexual misconduct
Clinical environment	Factors related to workflow, physical conditions and "off-hours" conditions (weekends/holidays/nights)
Clinical judgment	Factors related to patient assessment, diagnostic decision-making, selection and management of therapy, patient monitoring, failure/delay in obtaining a consult, failure to ensure patient safety (falls, burns, etc.), choice of practice setting, failure to question/follow an order, practice beyond scope
Clinical systems	Factors related to coordination of care, failure/delay in ordering test, reporting findings, follow-up systems, patient identification, specimen handling, nosocomial infections
Communication	Factors related to communication among providers, between patient/family and providers, via electronic communication (texting, email, etc.), and telehealth/tele-radiology
Documentation	Factors related to mechanics, insufficiency, content
Supervision	Factors related to supervision of nursing, house staff, advanced practice clinicians
Technical skill	Factors related to improper use of equipment, medication errors, retained foreign bodies, technical performance of procedures

### Most Common Contributing Factor Categories by Anesthesia-Related Allegations



### **Focus on Most Common Drivers of Clinical Severity**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION



Clinical judgment factors related to patient monitoring and response to changing conditions, technical skill factors, including the management of known complications, and suboptimal communication among members of patients' surgery and anesthesiology teams, are key drivers of clinical Anesthesiology case severity.

### **Focus on Anesthesia-Related Allegations**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION



Performance-related cases encompass procedural technique issues, including injections, intubation and extubation. Extubation cases (excluding those involving tooth damage) often reflect immediate post-extubation complications, bringing into question whether extubation was appropriate/timely. Management-related cases encompass recognition of and reaction to vital signs, awareness while under anesthesia, monitoring while receiving blood products and during the post-operative recovery process. The failure to timely recognize and/or monitor/manage procedural complications prevents the opportunity for early mitigation of the risk of serious adverse outcome. Positioning-related cases reflect when positioning of the patient is the key issue, and includes situations where the patient was positioned correctly, but for an extended period of time resulting in injury.

### **Focus on Anesthesia-Related Allegations Involving CRNAs**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION



The distribution of CRNA cases is similar to those of non-CRNA cases, albeit with a higher volume involving tooth/teeth damage scenarios.

### **Focus on Anesthesia-Related Allegations Involving CRNAs**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION



The volume of cases involving CRNAs in a responsible service role has increased over the years noted in this report. Clinical severity and location data points are similar to the non-CRNA-involved cases. Although not shown here, the distribution of contributing factors is also markedly similar to the non-CRNA cases.

## **Risk Mitigation Strategies**

- Ongoing evaluation of procedural skills and competency with equipment is critically important.
- Conduct a thorough assessment of the patient pre-operatively.
  - Ensure that all testing and specialty evaluations are available for review prior to induction; in an ambulatory setting, these details might not always be as readily available as in the inpatient setting.
  - Maintain a consistent post-procedure assessment process.
- Communicate with each other.
  - Actively collaborate with other members of the patient's surgical care team including all operating and recovery room staff. Coordinate the steps of the patient's care, including post-operatively.
  - Talk also to the patient/family, elicit a comprehensive patient history and conduct a thorough informed anesthesia consent with the patient separate from the surgical consent.
- Document.
  - The anesthesia record is critically important for detailing the pre-operative patient assessment, intra-operative steps, and post-operative sequence of events. Discrepancies or gaps in the details/timing make it much more difficult to build a supportive framework for defense against potential malpractice cases.
- Know (and adhere to) your supervision responsibility for advanced practice providers.
- Follow patient safety precautions before, during and after each procedure, including surgical time-outs and the provision of post-anesthesia specialty coverage.

### MedPro Group & MLMIC Data

**MedPro and MLMIC are partnered with Candello**, a national medical malpractice data collaborative and division of CRICO, the medical malpractice insurer for the Harvard-affiliated medical institutions.

**Derived from the essence of the word candela**, a unit of luminous intensity that emits a clear direction, Candello's best-in-class taxonomy, data, and tools provide unique insights into the clinical and financial risks that lead to harm and loss.

**Using Candello's sophisticated coding taxonomy to code claims data**, MedPro and MLMIC are better able to highlight the critical intersection between quality and patient safety and provide insights into minimizing losses and improving outcomes.

**Leveraging our extensive claims data**, we help our insureds stay aware of risk trends by specialty and across a variety of practice settings. Data analyses examine allegations and contributing factors, including human factors and healthcare system flaws that result in patient harm. Insight gained from claims data analyses also allows us to develop targeted programs and tools to help our insureds minimize risk.

This document does not constitute legal or medical advice and should not be construed as rules or establishing a standard of care. Because the facts applicable to your situation may vary, or the laws applicable in your jurisdiction may differ, please contact your attorney or other professional advisors if you have any questions related to your legal or medical obligations or rights, state or federal laws, contract interpretation, or other legal questions. MedPro Group is the marketing name used to refer to the insurance operations of The Medical Protective Company, Princeton Insurance Company, PLICO, Inc. and MedPro RRG Risk Retention Group. All insurance products are underwritten and administered by these and other Berkshire Hathaway affiliates, including National Fire & Marine Insurance Company. Product availability is based upon business and/or regulatory approval and may differ among companies. © 2025 MedPro Group Inc. All rights reserved.

TERMS, CONDITIONS AND DISCLAIMER The presented information is for general purposes only and should not be construed as medical or legal advice. The presented information is not comprehensive and does not cover all possible factual circumstances. Please contact your attorney or other professional advisors for any questions related to legal, medical, or professional obligations, the applicable state or federal laws, or other professional questions. If you are a MLMIC insured, you may contact May-Skinner Law Group at 1-855-325-7529 for any policy related questions. MLMIC Insurance Company does not warrant the presented information, nor will it be responsible for damages arising out of or in connection with the presented information.

![](_page_15_Picture_7.jpeg)