General Surgery

Claims Data Snapshot

2025

MedPro Group

MLMIC

MLMIC Insurance Company

CELEBRATING 50 FIFTY YEARS

Introduction

This publication begins with insight into frequency and financial severity profiles by specialty. Then follows an analysis of aggregated data from clinically coded cases opened between 2014-2023 in which General Surgery is identified as the primary responsible service.

Keep in mind…

A clinically coded malpractice case can have more than one responsible service, but the “primary responsible service” is the specialty that is deemed to be most responsible for the resulting patient outcome.

Our data system, and analysis, rolls all claims/suits related to an individual patient event into one case for coding purposes. Therefore, a case may be made up of one or more individual claims/suits and multiple defendant types such as hospital, physician, and other healthcare professionals.

Cases that involve attorney representations at depositions, State Board actions, and general liability cases are not included.

This analysis is designed to provide insured doctors, healthcare professionals, hospitals, health systems, and associated risk management staff with detailed case data to assist them in purposefully focusing their risk management and patient safety efforts.

Specialty benchmarking

Specialties have different frequency and financial severity profiles which combine to produce differing risk levels.

Severity Tier	Low Frequency	Medium Frequency	High Frequency
High	Hematology/Oncology, Pathology, Pediatrics	Anesthesiology, Neurology	Emergency Medicine, Neurosurgery, OB/GYN
Medium	Family Medicine, Nephrology, Physiatry, Urgent Care	Cardiology, ENT, Gastroenterology, Internal Medicine	Cardiovascular Surgery, General Surgery, Orthopedic Surgery, Radiology, Urology
Low	Allergy, Dermatology, Occupational Medicine, Psychiatry, Rheumatology	Ophthalmology, Plastic Surgery, Pulmonology	Hospitalists

Frequency Tier

Source: MedPro Group Physician & Surgeon Claim Experience & Analysis

Specialty trends – General Surgery

General Surgery has an average financial severity per case and a higher claim frequency compared to all specialties.



Frequency Tier
High
Medium
Low

Source: MedPro Group Physician & Surgeon Claim Experience & Analysis

Key Points - Clinically Coded Data

- Surgical allegations account for more than three-fourths of General Surgery case volume and total dollars paid*. Performance-related allegations account for half of those, with the majority involving cholecystectomies, hernia repairs, appendectomies and colorectal resections. Cases involving the management of surgical patients, including pre-, intra-, and post-operatively, are often related to the surgeon's response to developing complications. While complications of procedures may have been the result of procedural error, the failure to timely recognize and/or monitor/manage the issue prevents the opportunity for early mitigation of the risk of serious adverse outcome.
- Diagnosis-related allegations account for 12% of General Surgery case volume. These most commonly reflect missed/delayed diagnoses of cancers and other digestive system diseases, and post-operative complications and infections. These cases commonly reflect breaks in the diagnostic process of care, most often during the initial diagnostic phase, including assessment and evaluation of patient symptoms, establishment of differential diagnoses and ordering of diagnostic testing.
- Contributing factors, which are multi-layered issues or failures in the process of care that appear to have contributed to the patient's outcome, and/or to the initiation of the case, provide valuable insight into risk mitigation opportunities. Clinical judgment factors, including the selection of the most appropriate procedure for the patient's condition and those related to diagnostic decision-making, and technical skill factors including recognition/management of known complications and poor procedural technique, are key drivers of clinical General Surgery case severity.

MedPro Group + MLMIC cases opened 2014-2023, General Surgery as responsible service (N=1247); *Total dollars paid = expense + indemnity

Major Allegations & Financial Severity

Each case reflects one major allegation category. Categories are designed to enable the grouping and analysis of similar cases and to drive focused risk mitigation efforts. The coding taxonomy includes detailed allegation sub-categories; insight into these is noted later in this report.



MedPro Group + MLMIC cases opened 2014-2023, General Surgery as responsible service (N=1247); *Total dollars paid = expense + indemnity; **Other includes allegations for which no significant case volume exists

Clinical Severity* & Most Common Locations

Clinical severity* categories	Sub-categories	% of case volume	Definitions
LOW	Emotional Injury Only	**2%**	Mental distress or suffering that is generally temporary; includes HIPAA violations, discrimination, involuntary stay
	Temporary Insignificant Injury		Lacerations, contusions, minor scars, rash; no delay in recovery
MEDIUM	Temporary Minor Injury	**47%**	Infection, fracture set improperly or a fall in the facility, where recovery is complete but delayed
	Temporary Major Injury		Burns, drug side effect; recovery delayed
	Permanent Minor Injury		Loss of fingers or loss or damage to organs; includes non-disabling injuries
HIGH	Significant Permanent Injury	**51%**	Deafness, loss of limb, loss of eye or loss of one kidney or lung
	Major Permanent Injury		Paraplegia, blindness, loss of two limbs or brain damage
	Grave Injury		Quadriplegia, severe brain damage, life-long care or fatal prognosis
	Death		Death
		24%	**% of cases resulting in patient death**



MedPro Group + MLMIC cases opened 2014-2023, General Surgery as responsible service (N=1247); *Severity codes reflect National Association of Insurance Commissioners (NAIC) injury severity scale

Contributing Factors

Despite best intentions, processes designed for safe patient outcomes can, and do, fail.

Contributing factors are multi-layered issues or failures in the process of care that appear to have contributed to the patient's outcome, and/or to the initiation of the case, or had a significant impact on case resolution.

Multiple factors are identified in each case because generally, there is not just one issue that leads to these cases, but rather a combination of issues.

Administrative | Behavior-related | Clinical environment | Clinical judgment | Clinical systems | Communication | Documentation | Supervision | Technical skill

Contributing Factor Category Definitions

Administrative	Factors related to reporting of adverse events, adequacy of staffing, staff education/training, ethics, failure to follow and/or need for policy/protocols
Behavior-related	Factors related to patient nonadherence to treatment or behavior that offsets care; also, provider behavior including breach of confidentiality or sexual misconduct
Clinical environment	Factors related to workflow, physical conditions and “off-hours” conditions (weekends/holidays/nights)
Clinical judgment	Factors related to patient assessment, diagnostic decision-making, selection and management of therapy, patient monitoring, failure/delay in obtaining a consult, failure to ensure patient safety (falls, burns, etc.), choice of practice setting, failure to question/follow an order, practice beyond scope
Clinical systems	Factors related to coordination of care, failure/delay in ordering test, reporting findings, follow-up systems, patient identification, specimen handling, nosocomial infections
Communication	Factors related to communication among providers, between patient/family and providers, via electronic communication (texting, email, etc.), and telehealth/tele-radiology
Documentation	Factors related to mechanics, insufficiency, content
Supervision	Factors related to supervision of nursing, house staff, advanced practice clinicians
Technical skill	Factors related to improper use of equipment, medication errors, retained foreign bodies, technical performance of procedures

Most Common Contributing Factor Categories by Allegation



MedPro Group + MLMIC cases opened 2014-2023, General Surgery as responsible service (N=1247); More than one factor per case, therefore totals >100%

Focus on Most Common Drivers of Clinical Severity



Clinical judgment factors, including the selection of the most appropriate procedure for the patient's condition and those related to diagnostic decision-making, and technical skill factors including recognition/management of known complications and poor procedural technique, are key drivers of clinical General Surgery case severity.

MedPro Group + MLMIC cases opened 2014-2023, General Surgery as responsible service (N=1247); More than one factor per case, therefore totals >100%

Focus on Surgical Treatment Allegations

Top allegation details



Top procedures involved



Cases involving the management of surgical patients, including pre-, intra-, and post-operatively, are often related to the surgeon's response to developing complications. While complications of procedures may have been the result of procedural error, the failure to timely recognize and/or monitor/manage the issue prevents the opportunity for early mitigation of the risk of serious adverse outcome.

MedPro Group + MLMIC cases opened 2014-2023, General Surgery as responsible service (N=1247)

Focus on Diagnosis-Related Allegations

Diagnosis-related allegations encompass wrong diagnoses, failures/delays, and misdiagnoses. See below for the top diagnoses* noted in these cases.

Digestive system conditions
(38%)

Primarily acute appendicitis, obstructions, diverticulitis, intestinal perforation

Cancers
(32%)

Primarily breast, colorectal, and lung

Complications
(9%)

Primarily post-operative infections; also puncture/lacerations and device complications

MedPro Group + MLMIC cases opened 2014-2023, General Surgery as responsible service (N=1247); *as a percentage of all diagnosis-related allegations

Focus on Diagnosis-Related Allegations

Diagnosis-related allegations encompass wrong diagnoses, failures/delays, and misdiagnoses. Note the key opportunities to reduce diagnostic errors along the diagnostic process of care* below.

Phase 1

Initial diagnostic assessment

89%
of cases

- Patient notes problem & seeks care
- History & physical
- Patient assessed, symptoms evaluated
- Differential diagnosis established
- Diagnostic testing ordered

Phase 2

Testing and results processing

28%
of cases

- Performance of diagnostic tests
- Interpretation of diagnostic test results
- Test results transmitted to/received by ordering provider

Phase 3

Follow-up and coordination

62%
of cases

- Physician follows-up with patient
- Referrals/Consults
- Patient information communicated among care team
- Patient compliance with follow-up plan

MedPro Group + MLMIC cases opened 2014-2023, General Surgery as responsible service (N=1247); *each step reflects a combination of contributing factors; diagnostic process of care algorithm courtesy of Candello, a division of CRICO Strategies

Risk Mitigation Strategies

- **Ongoing evaluation of procedural skills and competency with equipment is critically important.**
- **Conduct a thorough assessment of the patient pre-operatively.**
  - Ensure that all testing and specialty evaluations are available for review prior to induction; in an ambulatory setting, these details might not always be as readily available as in the inpatient setting.
  - Maintain a consistent post-procedure assessment process.
  - Update and review medical and family history at every visit to ensure the best decision-making.
  - Maintain problem lists.
- **Communicate with each other.**
  - Focus on care coordination if other specialties are involved, including next steps and determining who is responsible for the patient.
  - Elicit a comprehensive patient history and conduct a thorough informed consent with the patient.
  - Give thorough and clear patient instructions.
- **Engage patients as active participants in their care.**
  - Consider the patient's health literacy and other comprehension barriers.
  - Recognize that patient satisfaction with treatment outcomes can be influenced by a thorough informed consent and education process.
- **Document.**
  - The operative record is critically important for detailing the pre-operative patient assessment, intra-operative steps, and post-operative sequence of events. Discrepancies or gaps in the details/timing make it much more difficult to build a supportive framework for defense against potential malpractice cases.

MedPro Group & MLMIC Data

MedPro and MLMIC are partnered with Candello, a national medical malpractice data collaborative and division of CRICO, the medical malpractice insurer for the Harvard-affiliated medical institutions.

Derived from the essence of the word candela, a unit of luminous intensity that emits a clear direction, Candello's best-in-class taxonomy, data, and tools provide unique insights into the clinical and financial risks that lead to harm and loss.

Using Candello's sophisticated coding taxonomy to code claims data, MedPro and MLMIC are better able to highlight the critical intersection between quality and patient safety and provide insights into minimizing losses and improving outcomes.

Leveraging our extensive claims data, we help our insureds stay aware of risk trends by specialty and across a variety of practice settings. Data analyses examine allegations and contributing factors, including human factors and healthcare system flaws that result in patient harm. Insight gained from claims data analyses also allows us to develop targeted programs and tools to help our insureds minimize risk.