# Hematology & Medical Oncology

**Claims Data Snapshot** 

2025





#### Introduction

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

This publication begins with insight into frequency and financial severity profiles by specialty. Then follows an analysis of aggregated data from clinically coded cases opened between 2014-2023 in which Hematology & Medical Oncology is identified as the primary responsible service.

#### Keep in mind...

A clinically coded malpractice case can have more than one responsible service, but the "primary responsible service" is the specialty that is deemed to be most responsible for the resulting patient outcome.

Our data system, and analysis, rolls all claims/suits related to an individual patient event into one case for coding purposes. Therefore, a case may be made up of one or more individual claims/suits and multiple defendant types such as hospital, physician, and other healthcare professionals.

Cases that involve attorney representations at depositions, State Board actions, and general liability cases are not included.

This analysis is designed to provide insured doctors, healthcare professionals, hospitals, health systems, and associated risk management staff with detailed case data to assist them in purposefully focusing their risk management and patient safety efforts.

# **Specialty benchmarking**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Specialties have different frequency and financial severity profiles which combine to produce differing risk levels.

	High	Hematology/Oncology, Pathology, Pediatrics	Anesthesiology, Neurology	Emergency Medicine, Neurosurgery, OB/GYN
Severity Tier	Medium	Family Medicine, Nephrology, Physiatry, Urgent Care	Cardiology, ENT, Gastroenterology, Internal Medicine	Cardiovascular Surgery, General Surgery, Orthopedic Surgery, Radiology, Urology
	Low	Allergy, Dermatology, Occupational Medicine, Psychiatry, Rheumatology	Ophthalmology, Plastic Surgery, Pulmonology	Hospitalists
		Low	Medium	High
		Frequency Tier		


Source: MedPro Group Physician & Surgeon Claim Experience & Analysis


# **Specialty trends – Hematology & Medical Oncology**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Hematology & Medical Oncology has a higher financial severity per case and a lower claim frequency compared to all specialties.







Source: MedPro Group Physician & Surgeon Claim Experience & Analysis

#### **Key Points - Clinically Coded Data**


INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

- Diagnosis-related allegations account for one-third (38%) of Hematology & Medical Oncology case volume and 42% of total dollars paid.\* These most commonly note missed/delayed diagnoses of cancers. These cases reflect breaks in the diagnostic process of care, often during the initial phase of diagnostic assessment, including evaluation of patient symptoms, establishing differential diagnoses and ordering of diagnostic testing. Follow-up, treatment coordination and referrals/consults are also noted risk issues within the process of care.
- Monitoring and managing patients' medication regimens account for more than half (63%) of all medication-related allegations. Selection of the most appropriate medication for the patient's condition is one of the most frequently noted risk issues in medication cases. Issues reflecting patient non-adherence to medication regimens are noted, and are sometimes impacted by inadequate patient/family education of the importance of prescription adherence. Inadequate patient monitoring, and suboptimal communication about medication regimens across the patient's care team are also commonly noted risk issues
- Medical treatment allegations, which account for 27% of case volume, are primarily related to issues with selection of the most appropriate treatment regimen for the patient, and appreciating and reconciling symptoms and test results.
- Contributing factors, which are multi-layered issues or failures in the process of care that appear to have contributed to the patient's outcome, and/or to the
  initiation of the case, provide valuable insight into risk mitigation opportunities. Clinical judgment and communication factors, specifically inadequate patient
  assessment and monitoring processes, a narrow diagnostic focus, and team communication failures, are key drivers of clinical Hematology & Medical Oncology
  case severity.

# **Major Allegations & Financial Severity**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Each case reflects one major allegation category. Categories are designed to enable the grouping and analysis of similar cases and to drive focused risk mitigation efforts. The coding taxonomy includes detailed allegation sub-categories; insight into these is noted later in this report.



# **Clinical Severity\* & Most Common Locations**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Clinical severity* categories	Sub-categories	% of case volume	Definitions
LOW	Emotional Injury Only	3%	Mental distress or suffering that is generally temporary; includes HIPAA violations, discrimination, involuntary stay
	Temporary Insignificant Injury		Lacerations, contusions, minor scars, rash; no delay in recovery
	Temporary Minor Injury		Infection, fracture set improperly or a fall in the facility, where recovery is complete but delayed
MEDIUM	Temporary Major Injury	24%	Burns, drug side effect; recovery delayed
	Permanent Minor Injury		Loss of fingers or loss or damage to organs; includes non-disabling injuries
	Significant Permanent Injury		Deafness, loss of limb, loss of eye or loss of one kidney or lung
IIICII	Major Permanent Injury	720/	Paraplegia, blindness, loss of two limbs or brain damage
HIGH	Grave Injury	<b>73%</b>	Quadriplegia, severe brain damage, life-long care or fatal prognosis
	Death		Death
		39%	% of cases resulting in patient death

% case volume by location


Office/Clinic 81%

Patient room/ICU 13%

# Despite best intentions, processes designed for safe patient outcomes can, and do, fail.

**Contributing factors** are multi-layered issues or failures in the process of care that appear to have contributed to the patient's outcome, and/or to the initiation of the case, or had a significant impact on case resolution.

Multiple factors are identified in each case because generally, there is not just one issue that leads to these cases, but rather a combination of issues.




# **Contributing Factor Category Definitions**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION


Administrative	Factors related to reporting of adverse events, adequacy of staffing, staff education/training, ethics, failure to follow and/or need for policy/protocols	
Behavior-related	Factors related to patient nonadherence to treatment or behavior that offsets care; also, provider behavior including breach of confidentiality or sexual misconduct	
Clinical environment	Factors related to workflow, physical conditions and "off-hours" conditions (weekends/holidays/nights)	
Clinical judgment	Factors related to patient assessment, diagnostic decision-making, selection and management of therapy, patient monitoring, failure/delay in obtaining a consult, failure to ensure patient safety (falls, burns, etc.), choice of practice setting, failure to question/follow an order, practice beyond scope	
Clinical systems	Factors related to coordination of care, failure/delay in ordering test, reporting findings, follow-up systems, patient identification, specimen handling, nosocomial infections	
Communication	Factors related to communication among providers, between patient/family and providers, via electronic communication (texting, email, etc.), and telehealth/tele-radiology	
Documentation	Factors related to mechanics, insufficiency, content	
Supervision	Factors related to supervision of nursing, house staff, advanced practice clinicians	
Technical skill	Factors related to improper use of equipment, medication errors, retained foreign bodies, technical performance of procedures	

### **Most Common Contributing Factor Categories by Allegation**



# **Focus on Most Common Drivers of Clinical Severity**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION



Clinical judgment and communication factors, specifically inadequate patient assessment and monitoring processes, a narrow diagnostic focus, and team communication failures, are key drivers of clinical Hematology & Medical Oncology case severity.

### **Focus on Diagnosis-Related Allegations**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Diagnosis-related allegations encompass wrong diagnoses, failures/delays, and misdiagnoses. See below for the top diagnoses\* noted in these cases.

**Cancers (66%)** 

Primarily lymphoma and leukemia, breast, lung


Injuries & treatment complications (8%)

Medication reactions/poisoning, infections

#### **Focus on Diagnosis-Related Allegations**


INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION


Diagnosis-related allegations encompass wrong diagnoses, failures/delays, and misdiagnoses. Note the key opportunities to reduce diagnostic errors along the diagnostic process of care\* below.



#### **Focus on Medication-Related Allegations**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION






Selection of the most appropriate medication for the patient's condition is one of the most frequently noted risk issue in medication cases. Issues reflecting patient non-adherence to prescriptions are sometimes impacted by inadequate patient/family education of the importance of prescription adherence. Inadequate patient monitoring, and suboptimal communication about medication regimens across the patient's care team are also commonly noted risk issues.

#### **Focus on Medication-Related Allegations**


INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Medication-related allegations primarily encompass management of medication regimens and ordering/dispensing/administration errors. Note the key opportunities to reduce medication errors along the process of care\* below.



#### **Focus on Medical Treatment Allegations**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION



Medical patient management allegations encompass a variety of conditions, including medication-related complications and infections. These cases most often reflect issues with selection of the most appropriate course of treatment for the patient, and appreciating and reconciling symptoms and test results.

#### **Risk Mitigation Strategies**

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

#### Conduct a thorough pre-treatment assessment of the patient.

- Conduct a thorough pre-treatment assessment of patients for risk factors related to medication regimens and maintain a consistent post-medication administration assessment process.
- Update and review medical and family history at every visit to ensure the best decision-making.

#### Communicate with each other.

- Maintain open communication across all members of the patient's health care team, and identify the primary provider who will coordinate care.
- Talk also to the patient/family, elicit a comprehensive patient history and conduct a thorough informed consent with the patient.

#### Engage patients as active participants in their care.

Consider the patient's health literacy and other comprehension barriers. Recognize patterns of patient non-compliance, and focus on documentation
of efforts made to encourage compliance and follow up with treatment. Recognize that patient satisfaction with treatment outcomes can be influenced
by a thorough informed consent and education process.

#### Document.

- Timely document thorough, objective information about the results of patient assessments, education of the patient/family about treatment plans including medication regimens, and any instances of patient nonadherence.
- Thorough, consistent documentation in the chart enhances communication between providers and provides a supportive framework for defense of any subsequent malpractice case.

#### Clinical systems

• Focus on 'closing the loop' with regards to receiving, reporting and acting on test results, including incidental findings. Educate the patient on the importance of receiving test results, and how to follow up with the provider if results are not received.

#### Administrative

 Reinforce the need for ongoing staff training/education related to administrative policies/procedures, including those involving clarification of orders and appropriate medication administration protocols.

#### **MedPro Group & MLMIC Data**

**MedPro and MLMIC are partnered with Candello,** a national medical malpractice data collaborative and division of CRICO, the medical malpractice insurer for the Harvard-affiliated medical institutions.

**Derived from the essence of the word candela**, a unit of luminous intensity that emits a clear direction, Candello's best-in-class taxonomy, data, and tools provide unique insights into the clinical and financial risks that lead to harm and loss.



**Leveraging our extensive claims data**, we help our insureds stay aware of risk trends by specialty and across a variety of practice settings. Data analyses examine allegations and contributing factors, including human factors and healthcare system flaws that result in patient harm. Insight gained from claims data analyses also allows us to develop targeted programs and tools to help our insureds minimize risk.



This document does not constitute legal or medical advice and should not be construed as rules or establishing a standard of care. Because the facts applicable to your situation may vary, or the laws applicable in your jurisdiction may differ, please contact your attorney or other professional advisors if you have any questions related to your legal or medical obligations or rights, state or federal laws, contract interpretation, or other legal questions. MedPro Group is the marketing name used to refer to the insurance operations of The Medical Protective Company, Princeton Insurance Company, PLICO, Inc. and MedPro RRG Risk Retention Group. All insurance products are underwritten and administered by these and other Berkshire Hathaway affiliates, including National Fire & Marine Insurance Company. Product availability is based upon business and/or regulatory approval and may differ among companies. © 2025 MedPro Group Inc. All rights reserved.

TERMS, CONDITIONS AND DISCLAIMER The presented information is for general purposes only and should not be construed as medical or legal advice. The presented information is not comprehensive and does not cover all possible factual circumstances. Please contact your attorney or other professional advisors for any questions related to legal, medical, or professional obligations, the applicable state or federal laws, or other professional questions. If you are a MLMIC insured, you may contact May-Skinner Law Group at 1-855-325-7529 for any policy related questions. MLMIC Insurance Company does not warrant the presented information, nor will it be responsible for damages arising out of or in connection with the presented information.