Internal Medicine

Claims Data Snapshot

2025





Introduction

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

This publication begins with insight into frequency and financial severity profiles by specialty. Then follows an analysis of aggregated data from clinically coded cases opened between 2014-2023 in which Internal Medicine is identified as the primary responsible service.

Keep in mind...

A clinically coded malpractice case can have more than one responsible service, but the "primary responsible service" is the specialty that is deemed to be most responsible for the resulting patient outcome.

Our data system, and analysis, rolls all claims/suits related to an individual patient event into one case for coding purposes. Therefore, a case may be made up of one or more individual claims/suits and multiple defendant types such as hospital, physician, and other healthcare professionals.

Cases that involve attorney representations at depositions, State Board actions, and general liability cases are not included.

This analysis is designed to provide insured doctors, healthcare professionals, hospitals, health systems, and associated risk management staff with detailed case data to assist them in purposefully focusing their risk management and patient safety efforts.

Specialty benchmarking

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION


Specialties have different frequency and financial severity profiles which combine to produce differing risk levels.

| | High | Hematology/Oncology, Pathology, Pediatrics | Anesthesiology, Neurology | Emergency Medicine, Neurosurgery, OB/GYN | |
|------------------|--------|---|--|--|--|
| Severity Tier | Medium | Family Medicine, Nephrology, Physiatry, Urgent Care | Cardiology, ENT, Gastroenterology, Internal Medicine | Cardiovascular Surgery, General Surgery, Orthopedic Surgery, Radiology, Urology | |
| | Low | Allergy, Dermatology, Occupational Medicine, Psychiatry, Rheumatology | Ophthalmology, Plastic Surgery, Pulmonology | Hospitalists | |
| | | Low | Medium | High | |
| | | Frequency Tier | | | |

Specialty trends – Internal Medicine

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Internal Medicine has an average financial severity per case and an average claim frequency compared to all specialties.



Average Severity - Internal Medicine Relative to All Specialties

Key Points - Clinically Coded Data


INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

- Diagnosis-related allegations account for almost half of Internal Medicine case volume and two-thirds of total dollars paid*. These most commonly reflect missed/delayed diagnoses of cancers and circulatory system diseases. These cases commonly reflect breaks in the diagnostic process of care, most often including inadequate assessment and evaluation of patient symptoms, a narrow diagnostic focus, delays or failures in ordering diagnostic testing, delays in obtaining consults or referrals, and suboptimal communication among providers on the patient's care team.
- Medical treatment allegations, which account for 27% of case volume, are primarily related to issues with selection of the most appropriate treatment regimen for the patient, and appreciating and reconciling symptoms and test results.
- Monitoring and managing patients' medication regimens account for more than two-thirds of all medication-related allegations. Selection of the most appropriate
 medication for the patient's condition is one of the most frequently noted risk issues in medication cases. Issues reflecting patient non-adherence to prescriptions
 are sometimes impacted by inadequate patient/family education of the importance of prescription adherence. Inadequate patient monitoring, and suboptimal
 communication about medication regimens across the patient's care team are also commonly noted risk issues.
- Contributing factors, which are multi-layered issues or failures in the process of care that appear to have contributed to the patient's outcome, and/or to the initiation of the case, provide valuable insight into risk mitigation opportunities. Clinical judgment and communication factors, specifically inadequate patient assessment processes, a narrow diagnostic focus, and team communication failures are key drivers of clinical Internal Medicine case severity.

Major Allegations & Financial Severity

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Each case reflects one major allegation category. Categories are designed to enable the grouping and analysis of similar cases and to drive focused risk mitigation efforts. The coding taxonomy includes detailed allegation sub-categories; insight into these is noted later in this report.



Clinical Severity* & Most Common Locations

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

| Clinical severity* categories | Sub-categories | % of case volume | Definitions | |
|----------------------------------|--------------------------------|---------------------|--|--|
| LOW | Emotional Injury Only | 6% | Mental distress or suffering that is generally temporary; includes HIPAA violations, discrimination, involuntary stay | |
| | Temporary Insignificant Injury | | Lacerations, contusions, minor scars, rash; no delay in recovery | |
| | Temporary Minor Injury | | Infection, fracture set improperly or a fall in the facility, where recovery is complete but delayed | |
| MEDIUM | Temporary Major Injury | 23% | Burns, drug side effect; recovery delayed | |
| | Permanent Minor Injury | | Loss of fingers or loss or damage to organs; includes non-disabling injuries | |
| | Significant Permanent Injury | | Deafness, loss of limb, loss of eye or loss of one kidney or lung | |
| шен | Major Permanent Injury | 71% | Paraplegia, blindness, loss of two limbs or brain damage | |
| HIGH | Grave Injury | | Quadriplegia, severe brain damage, life-long care or fatal prognosis | |
| | Death | | Death | |
| | | 45% | % of cases resulting in patient death | |

% case volume by location

Office/clinic 49%

Patient room/ICU 31%

Contributing Factors

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Despite best intentions, processes designed for safe patient outcomes can, and do, fail.

Contributing factors are multi-layered issues or failures in the process of care that appear to have contributed to the patient's outcome, and/or to the initiation of the case, or had a significant impact on case resolution. Multiple factors are identified in each case because generally, there is not just one issue that leads to these cases, but rather a combination of issues.

| Administrative | Behavior-related | Clinical environment | Clinical judgment | Clinical systems | Communication | Documentation | Supervision | Technical skill |
|----------------|------------------|-------------------------|-------------------|---------------------|---------------|---------------|-------------|--------------------|


Contributing Factor Category Definitions

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

| Administrative | Factors related to reporting of adverse events, adequacy of staffing, staff education/training, ethics, failure to follow and/or need for policy/protocols |
|---|---|
| Behavior-related | Factors related to patient nonadherence to treatment or behavior that offsets care; also, provider behavior including breach of confidentiality or sexual misconduct |
| Clinical environment Factors related to workflow, physical conditions and "off-hours" conditions (weekends/holidays/night | |
| Clinical judgment | Factors related to patient assessment, diagnostic decision-making, selection and management of therapy, patient monitoring, failure/delay in obtaining a consult, failure to ensure patient safety (falls, burns, etc.), choice of practice setting, failure to question/follow an order, practice beyond scope |
| Clinical systems | Factors related to coordination of care, failure/delay in ordering test, reporting findings, follow-up systems, patient identification, specimen handling, nosocomial infections |
| Communication | Factors related to communication among providers, between patient/family and providers, via electronic communication (texting, email, etc.), and telehealth/tele-radiology |
| Documentation | Factors related to mechanics, insufficiency, content |
| Supervision | Factors related to supervision of nursing, house staff, advanced practice clinicians |
| Technical skill | Factors related to improper use of equipment, medication errors, retained foreign bodies, technical performance of procedures |


Most Common Contributing Factor Categories by Allegation

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION



Focus on Most Common Drivers of Clinical Severity

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION




Clinical judgment and communication factors, specifically inadequate patient assessment processes, a narrow diagnostic focus, and team communication failures are key drivers of clinical Internal Medicine case severity.

Focus on Diagnosis-Related Allegations

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Diagnosis-related allegations encompass wrong diagnoses, failures/delays, and misdiagnoses. See below for the top diagnoses* noted in these cases.



Focus on Diagnosis-Related Allegations


INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Diagnosis-related allegations encompass wrong diagnoses, failures/delays, and misdiagnoses. Note the key opportunities to reduce diagnostic errors along the diagnostic process of care* below.

| | Phase 1 | | Phase 2 | | Phase 3 |
|-------------------------------|--|-------------------------------|--|------------------|--|
| Initial diagnostic | Patient notes problem & seeks care | Testing and results | Performance of diagnostic tests | Follow-up and | Physician follows-up with patient |
| assessment 89% of cases | History & physical Patient assessed, symptoms evaluated | processing 20% of cases | Interpretation of diagnostic test results | coordination | Referrals/Consults |
| | | | Test results transmitted to/received by ordering provider | of cases | Patient information communicated among care team |
| | Differential diagnosis established | | | | Patient compliance with follow-up plan |
| | Diagnostic testing ordered | | | | |

Focus on Medical Treatment Allegations


INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION



Procedural performance cases can be impacted by delayed recognition of complications, while management cases most often reflect issues with selection of the most appropriate course of treatment for the patient, and appreciating and reconciling symptoms and test results.

Focus on Medication-Related Allegations

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION




Selection of the most appropriate medication for the patient's condition is one of the most frequently noted risk issue in medication cases. Issues reflecting patient non-adherence to prescriptions are sometimes impacted by inadequate patient/family education of the importance of prescription adherence. Inadequate patient monitoring, and suboptimal communication about medication regimens across the patient's care team are also commonly noted risk issues.

Focus on Medication-Related Allegations

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Medication-related allegations primarily encompass management of medication regimens and ordering/dispensing/administration errors. Note the key opportunities to reduce medication errors along the process of care* below.



Risk Mitigation Strategies

INTRODUCTION | KEY POINTS | GENERAL DATA ANALYSIS | CONTRIBUTING FACTORS | FOCUSED DATA ANALYSIS | RISK MITIGATION

Conduct an appropriate and thorough assessment of the patient.

- Understand patient complaints and concerns.
- Update and review medical and family history at every visit to ensure the best decision-making.
- Be alert to high-risk diagnoses, such as cancer, cardiac disease, stroke and infections.
- Maintain problem lists.
- Communicate with each other.
 - · Focus on care coordination if other specialties are involved, including next steps and determining who is responsible for the patient.
 - Give thorough and clear patient instructions.

Engage patients as active participants in their care.

- Consider the patient's health literacy and other comprehension barriers.
- Recognize that patient satisfaction with treatment outcomes can be influenced by a thorough informed consent and education process.
- Document.
 - Timely document thorough, objective information about the results of patient assessments, education of the patient/family about treatment plans including medication regimens, and any instances of patient nonadherence.
 - Thorough, consistent documentation in the chart enhances communication between providers and provides a supportive framework for defense of any subsequent malpractice case.
- Review office processes for test tracking, consults/referrals, appointment setting, and managing patient nonadherence.
- Know (and adhere to) your supervision responsibility for advanced practice providers.

MedPro Group & MLMIC Data

MedPro and MLMIC are partnered with Candello, a national medical malpractice data collaborative and division of CRICO, the medical malpractice insurer for the Harvard-affiliated medical institutions.

Derived from the essence of the word candela, a unit of luminous intensity that emits a clear direction, Candello's best-in-class taxonomy, data, and tools provide unique insights into the clinical and financial risks that lead to harm and loss.

Using Candello's sophisticated coding taxonomy to code claims data, MedPro and MLMIC are better able to highlight the critical intersection between quality and patient safety and provide insights into minimizing losses and improving outcomes.

Leveraging our extensive claims data, we help our insureds stay aware of risk trends by specialty and across a variety of practice settings. Data analyses examine allegations and contributing factors, including human factors and healthcare system flaws that result in patient harm. Insight gained from claims data analyses also allows us to develop targeted programs and tools to help our insureds minimize risk.

This document does not constitute legal or medical advice and should not be construed as rules or establishing a standard of care. Because the facts applicable to your situation may vary, or the laws applicable in your jurisdiction may differ, please contact your attorney or other professional advisors if you have any questions related to your legal or medical obligations or rights, state or federal laws, contract interpretation, or other legal questions. MedPro Group is the marketing name used to refer to the insurance operations of The Medical Protective Company, Princeton Insurance Company, PLICO, Inc. and MedPro RRG Risk Retention Group. All insurance products are underwritten and administered by these and other Berkshire Hathaway affiliates, including National Fire & Marine Insurance Company. Product availability is based upon business and/or regulatory approval and may differ among companies. © 2025 MedPro Group Inc. All rights reserved.

TERMS, CONDITIONS AND DISCLAIMER The presented information is for general purposes only and should not be construed as medical or legal advice. The presented information is not comprehensive and does not cover all possible factual circumstances. Please contact your attorney or other professional advisors for any questions related to legal, medical, or professional obligations, the applicable state or federal laws, or other professional questions. If you are a MLMIC insured, you may contact May-Skinner Law Group at 1-855-325-7529 for any policy related questions. MLMIC Insurance Company does not warrant the presented information, nor will it be responsible for damages arising out of or in connection with the presented information.

